

### **AMENDMENTS TO THE CLAIMS**

1-43. Canceled.

44. (Currently Amended) A method of ~~preventing~~ inhibiting at least one of tumor cellular invasion and tumor metastasis in a mammal, the method comprising administering an effective amount of at least one of:

i. NNN'N'-Tetrakis-(2-pyridyl-methyl)-ethylenediamine (TPEN); and

ii. a TPEN derivative, wherein said TPEN derivative is selected from the group consisting of ethylenediamine, diethylenetriamine, triethylenetetramine, ethylenediamine, diethylenetriamine, triethylenetetramine, triethylenediamine, tetraethylenepentamine, aminoethylethanol amine, aminoethylpiperazine, pentaethylenehexamine, triethylenetetramine-hydrochloride, tetraethylenepentamine-hydrochloride, pentaethylenehexamine-hydrochloride, tetraethylpentamine, captopril, and penicilamine;

to said mammal.

45. (Currently Amended) A method according to claim 44, wherein said TPEN ~~prevents~~ inhibits metastatic cellular invasion in said mammal.

46. (Currently Amended) A method according to claim 44, wherein said TPEN ~~prevents~~ inhibits cancerous cell migration in said mammal.

47. (Currently Amended) A method according to claim 44, wherein said TPEN is at a concentration of 0.001-100 micromolar.
48. (Currently Amended) A method according to claim 44, wherein said TPEN selectively inhibits angiogenesis or vasculogenesis ~~prevents capillary formation~~ in tumor and cancerous cells in said mammal.
49. (Currently Amended) A method according to claim 48, wherein said inhibiting angiogenesis or vasculogenesis ~~preventing capillary formation~~ inhibits the spread of cancer in said mammal.
50. (Previously Presented) A method according to claim 48, wherein said TPEN is lipid soluble.
51. (Previously Presented) A method according to claim 44, wherein said TPEN has a higher affinity for divalent zinc ions than for other divalent metallic ions.
52. (Currently Amended) A method according to claim 51, wherein said higher affinity avoids chelation of calcium ~~enables normal physiological function~~ in said mammal.
53. (Currently Amended) A method according to claim 44, wherein said method further ~~prevents or~~ treats a disease selected from the group consisting of primary malignancy, carcinoma, Hodgkin's disease, lymphoma, and a hematological disease, ~~angiogenesis, vasculogenesis, tumor cellular invasion, and tumor metastasis.~~
54. (Previously Presented) A method according to claim 44, wherein said TPEN permeates across cell membranes.

55. (Currently Amended) A method according to claim 44, wherein said TPEN or derivative thereof is complexed with a metal to form a TPEN-metal complex.

56. Canceled.